




DIMENSIONES




DIMENSIONS

TIPO BOMBA PUMP TYPE	MOTOR		DNA	DNI	R	E	F	G	H	h	L	M	N	A	B	C	Øk
	TAMAÑO SIZE	kW 3000/1500															
BQPM 32-125	71A	0,37 / 0,25	50	32	471	80	184	207	112	140	190	50	100	140	70	110	14
	71 B	0,55 / 0,37															
	80 A	0,75 / 0,55															
	80 B	1,1 / 0,75															
	90 S	1,5 / 1,1			524												
	90 L	2,2 / 1,5			549												
	100L / LA	3 / 2,2			584												
	100 LB	- / 3															
112 M/B	4 / 4	604	340														
BQPM 32-160	71A	0,37 / 0,25	50	32	471	80	184	207	132	160	240	50	100	190	70	110	14
	71 B	0,55 / 0,37															
	80 A	0,75 / 0,55															
	80 B	1,1 / 0,75															
	90 S	1,5 / 1,1			524												
	90 L	2,2 / 1,5			549												
	100L / LA	3 / 2,2			584												
	100 LB	- / 3															
	112 M/B	4 / 4			604												
	132 SA / S	5,5 / 5,5			721												
132 SB / M	7,5 / 7,5	761	246	395	435												
BQPM 32-200	71A	0,37 / 0,25	50	32	471	80	184	207	160	180	240	50	100	190	70	110	14
	71 B	0,55 / 0,37															
	80 A	0,75 / 0,55															
	80 B	1,1 / 0,75															
	90 S	1,5 / 1,1			524												
	90 L	2,2 / 1,5			549												
	100L / LA	3 / 2,2			584												
	100 LB	- / 3															
	112 M/B	4 / 4			604												
	132 SA / S	5,5 / 5,5			721												
	132 SB / M	7,5 / 7,5			761												
	160 MA	11 / -			816												
	160 MB / M	15 / 11															
	160 L	- / 15			861		246	395									
BQPM 32-250	100L / LA	3 / 2,2	50	32	674	100	254	320	180	225	320	65	125	250	95	110	14
	100 LB	- / 3															
	112 M/B	4 / 4			694												
	132 SA / S	5,5 / 5,5			749												
	132 SB / M	7,5 / 7,5			789												
	160 MA	11 / -			844												
	160 MB / M	15 / 11															
160 L	- / 15	889	490	535													

TIPO BOMBA PUMP TYPE	MOTOR		DNA	DNI	R	E	F	G	H	h	L	M	N	A	B	C	Øk																											
TAMAÑO SIZE	kW 3000/1500																																											
BQPM 40-160	71A	0,37 / 0,25	50	32	471	80	184	207	112	140	190	50	100	140	70	110	14																											
	71 B	0,55 / 0,37																																										
	80 A	0,75 / 0,55																																										
	80 B	1,1 / 0,75																																										
	90 S	1,5 / 1,1																																										
	90 L	2,2 / 1,5																																										
	100L / LA	3 / 2,2																																										
	100 LB	- / 3																																										
	112 M/B	4 / 4																																										
	132 SA / S	5,5 / 5,5																																										
132 SB / M	7,5 / 7,5		246	435																																								
100L / LA	3 / 2,2																																											
100 LB	- / 3																																											
112 M/B	4 / 4																																											
132 SA / S	5,5 / 5,5																																											
132 SB / M	7,5 / 7,5																																											
160 MA	11 / -																																											
160 MB / M	15 / 11																																											
160 L	- / 15																																											
BQPM 40-200	71A	0,37 / 0,25	65	40	491	100	184	207	160	180	265	50	100	212	70	110	14																											
	71 B	0,55 / 0,37																																										
	80 A	0,75 / 0,55																																										
	80 B	1,1 / 0,75																																										
	90 S	1,5 / 1,1																																										
	90 L	2,2 / 1,5																																										
	100L / LA	3 / 2,2																																										
	100 LB	- / 3																																										
	112 M/B	4 / 4																																										
	132 SA / S	5,5 / 5,5																																										
	132 SB / M	7,5 / 7,5																																										
	160 MA	11 / -																																										
	160 MB / M	15 / 11																																										
	160 L	- / 15					246	490																																				
BQPM 40-250	100L / LA	3 / 2,2	65	40	674	100	254	320	180	225	320	65	125	250	95	110	14																											
	100 LB	- / 3																																										
	112 M/B	4 / 4																																										
	132 SA / S	5,5 / 5,5																																										
	132 SB / M	7,5 / 7,5																																										
	160 MA	11 / -																																										
	160 MB / M	15 / 11																																										
	160 L	- / 15																																										
BQPM 40-315	100L / LA	3 / 2,2	65	40	699	125	254	320	200	250	345	65	125	280	95	110	14																											
	100 LB	- / 3																																										
	112 M/B	4 / 4																																										
	132 SA / S	5,5 / 5,5																																										
	132 SB / M	7,5 / 7,5																																										
	160 MA	11 / -																																										
	160 MB / M	15 / 11																																										
	160 L	- / 15																																										
TIPO BOMBA PUMP TYPE	MOTOR		DNA	DNI	R	E	F	G	H	h	L	M	N	A	B	C	Øk																											
	TAMAÑO SIZE	kW 3000/1500																																										
	71A	0,37 / 0,25																80	50	491	100	184	207	160	180	265	50	100	212	70	110	14												
	71 B	0,55 / 0,37																																										
	80 A	0,75 / 0,55																																										
	80 B	1,1 / 0,75																																										
	90 S	1,5 / 1,1																																										
	90 L	2,2 / 1,5																																										
	100L / LA	3 / 2,2																																										
	100 LB	- / 3																																										
	112 M/B	4 / 4																																										
	132 SA / S	5,5 / 5,5																																										
	132 SB / M	7,5 / 7,5																																										
	160 MA	11 / -																																										
	160 MB / M	15 / 11																																										
	160 L	- / 15																																										
	BQPM 50-160	71A																		0,37 / 0,25	80	50	491										100	184	207	160	180	265	50	100	212	70	110	14
		71 B																		0,55 / 0,37																								
80 A		0,75 / 0,55																																										
80 B		1,1 / 0,75																																										
90 S		1,5 / 1,1																																										
90 L		2,2 / 1,5																																										
100L / LA		3 / 2,2																																										
100 LB		- / 3																																										
112 M/B		4 / 4																																										
132 SA / S		5,5 / 5,5																																										
132 SB / M		7,5 / 7,5																																										
160 MA		11 / -																																										
160 MB / M		15 / 11																																										
160 L		- / 15																																										
BQPM 50-200	71A	0,37 / 0,25	80	50	491	100	184	207	160	200	265	50	100	212	70	110	14																											
	71 B	0,55 / 0,37																																										
	80 A	0,75 / 0,55																																										
	80 B	1,1 / 0,75																																										
	90 S	1,5 / 1,1																																										
	90 L	2,2 / 1,5																																										
	100L / LA	3 / 2,2																																										
	100 LB	- / 3																																										
	112 M/B	4 / 4																																										
	132 SA / S	5,5 / 5,5																																										
	132 SB / M	7,5 / 7,5																																										
	160 MA	11 / -																																										
	160 MB / M	15 / 11																																										
	160 L	- / 15																																										
BQPM 50-250	100L / LA	3 / 2,2	80	50	699	125	254	320	180	225	320	65	125	250	95	110	14																											
	100 LB	- / 3																																										
	112 M/B	4 / 4																																										
	132 SA / S	5,5 / 5,5																																										
	132 SB / M	7,5 / 7,5																																										
	160 MA	11 / -																																										
	160 MB / M	15 / 11																																										
	160 L	- / 15																																										
BQPM 50-315	100L / LA	3 / 2,2	80	50	699	125	254	320	225	280	345	65	125	280	95	110	14																											
	100 LB	- / 3																																										
	112 M/B	4 / 4																																										
	132 SA / S	5,5 / 5,5																																										
	132 SB / M	7,5 / 7,5																																										
	160 MA	11 / -																																										
	160 MB / M	15 / 11																																										
	160 L	- / 15																																										

TIPO BOMBA PUMP TYPE	MOTOR		DNA	DNI	R	E	F	G	H	h	L	M	N	A	B	C	Øk
	TAMAÑO SIZE	kW 3000/1500															
BQPM 65-160	100L / LA	3 / 2,2	100	65	674	100	254	320	160	200	280	65	125	212	95	110	14
	100 LB	- / 3			694			340									
	112 M/B	4 / 4			749			395									
	132 SA / S	5,5 / 5,5			789			435									
	132 SB / M	7,5 / 7,5			844			490									
	160 MA	11 / -			889			535									
	160 MB / M	15 / 11															
	160 L	- / 15															
BQPM 65-200	100L / LA	3 / 2,2	100	65	674	100	254	320	180	225	320	65	125	250	95	110	14
	100 LB	- / 3			694			340									
	112 M/B	4 / 4			749			395									
	132 SA / S	5,5 / 5,5			789			435									
	132 SB / M	7,5 / 7,5			844			490									
	160 MA	11 / -			889			535									
	160 MB / M	15 / 11															
	160 L	- / 15															
BQPM 80-160	100L / LA	3 / 2,2	125	80	699	125	254	320	180	225	320	65	125	250	95	110	14
	100 LB	- / 3			719			340									
	112 M/B	4 / 4			774			395									
	132 SA / S	5,5 / 5,5			814			435									
	132 SB / M	7,5 / 7,5			869			490									
	160 MA	11 / -			914			535									
	160 MB / M	15 / 11															
	160 L	- / 15															
BQPM 80-200	100L / LA	3 / 2,2	125	80	699	125	254	320	180	250	345	65	125	280	95	110	14
	100 LB	- / 3			719			340									
	112 M/B	4 / 4			774			395									
	132 SA / S	5,5 / 5,5			814			435									
	132 SB / M	7,5 / 7,5			869			490									
	160 MA	11 / -			914			535									
	160 MB / M	15 / 11															
	160 L	- / 15															






DIMENSIONES BRIDAS DIN 2501 - PN 16 FLANGE DIMENSIONS DIN 2501 - PN 16						
DN	DE	CF	DR	zf	f	ff
32	140	100	78	4	1	2
40	150	110	88	4	8	3
50	165	125	102	4	1	3
65	185	145	122	4	8	3
80	200	160	138	8	1	3
10	220	180	158	8	8	3
0	250	210	188	8	1	3
12	285	240	212	8	8	3
5	340	295	268	12	1	3
15	405	355	320	12	8	3

DIMENSIONES BRIDAS DIN 2501 - PN 25 FLANGE DIMENSIONS DIN 2501 - PN 25						
DN	DE	CF	DR	zf	f	ff
32	140	100	78	4	1	2
40	150	110	88	4	8	3
50	165	125	102	4	1	3
65	185	145	122	8	8	3
80	200	160	138	8	1	3
10	235	190	162	8	8	3
0	270	220	188	8	1	3
12	300	250	218	8	8	3
5	360	310	278	12	1	3
15	425	370	335	12	8	3

DIMENSIONES

DIMENSIONS



TIPO BOMBA PUMP TYPE	TAMAÑO DE MOTOR MOTOR SIZE	ACOPLAMIENTO COUPLING	ZÓCALO BASEPLATE	DNA	DNI	a	h1	h2	E	d	B	B2	B3	L2	L3	L4	L
BQP 32-125	71, 80, 90S	A0	O	50	32	80	132	160	40	Ø16	26	30	34	12	51	765	787
	90L	A0	I	50	32	80	132	160	50	Ø20	0	0	0	5	5	870	812
BQP 32-125	80, 90S	A0	O	50	32	80	132	160	40	Ø16	37	42	47	13	60	765	787
	90L	A0	I	50	32	80	132	160	50	Ø20	0	0	0	5	0	870	812
BQP 32-160	100L,	A1	II	50	32	80	132	160	50	Ø20	26	30	34	12	51	980	967
	112M	A0	O	50	32	80	160	180	40	Ø16	0	0	0	5	5	765	777
BQP 32-160	90S	A0	I	50	32	80	160	180	50	Ø20	37	42	47	13	60	870	802
	90L	A1	II	50	32	80	160	180	50	Ø20	0	0	0	5	0	980	967
BQP 32-160	100L,	A1	III	50	32	80	180	180	70	Ø25	39	44	49	14	70	1100	1082
	112M	A1	III	50	32	100	180	225	70	Ø25	0	0	0	0	0	1100	1102
BQP 32-200	132S,	A1	IV	50	32	100	180	225	70	Ø25	26	30	34	12	51	1200	1217
	132M	A2	V	50	32	100	180	225	70	Ø25	0	0	0	5	5	1310	1302
BQP 40-160	100L,	A0	O	6	4	8	13	16	4	Ø1	37	42	47	13	50	765	787
	112M	A0	I	5	0	0	2	0	0	6	0	0	0	5	5	870	812
BQP 40-160	100L,	A1	II	6	4	8	13	16	5	Ø2	37	42	47	13	60	980	967
	112M	A1	III	5	0	0	2	0	0	0	0	0	0	5	0	110	104
BQP 40-200	90L	A0	I	6	4	100	16	18	5	Ø2	37	42	47	13	600	870	812
	100L,	A1	II	5	0	100	0	0	0	0	0	0	0	5	700	980	967
BQP 40-200	112M	A1	III	6	4	100	16	18	5	Ø2	39	44	49	14	760	110	104
	132S,	A2	IV	5	0	100	0	0	0	0	0	0	0	0	800	012	2
BQP 40-250	100L,	A1	III	6	4	10	18	22	7	Ø2	42	48	54	17	76	110	100
	112M	A1	IV	5	0	0	0	5	0	5	5	0	0	0	0	012	2
BQP 40-315	132S,	A2	V	6	4	10	18	22	7	Ø2	47	53	59	20	80	001	121
BQP 40-315	112M, 132S	A1	IV	6	4	125	20	25	7	Ø2	47	53	59	20	800	129	120
	132M, 160M	A1, A2	V	5	0	125	0	0	0	5	5	0	0	0	850	9	2
BQP 40-315	160L, 180M,	A2, A3, A3	VI	6	4	125	20	25	7	Ø2	50	56	62	23	900	131	132
	180L	A4	VII	5	0	125	0	0	0	5	0	5	0	0	960	0	7

TIPO BOMBA PUMP TYPE	TAMAÑO DE MOTOR MOTOR SIZE	ACOPLAMIENTO COUPLING	ZÓCALO BASEPLATE	DNA	DNI	a	h1	h2	E	d	B	B2	B3	L2	L3	L4	L
BQP 50-160	90L	A0	I	8	5	100	16	18	5	Ø2	37	42	47	13	600	870	832
BQP 50-160	100L,	A1	II	0	0	100	01	0	0	0	0	0	0	5	700	980	987
BQP 50-160	112M	A1	III	8	5	100	60	18	5	Ø2	39	44	49	14	760	110	110
BQP 50-160	132S,	A2	IV	0	0	100	16	0	0	0	0	0	0	0	800	0	2
BQP 50-200	100L,	A1	III	8	5	10	16	20	5	Ø2	39	44	49	14	70	980	987
BQP 50-200	112M	A1	IV	0	0	0	0	0	0	0	0	0	0	0	0	110	110
BQP 50-200	132S,	A2	V	8	5	10	16	20	7	Ø2	42	48	54	17	76	0	2
BQP 50-250	112M	A1	III	80	50	125	180	225	70	Ø25	425	480	540	170	760	1100	1127
BQP 50-250	132S,	A1	IV	80	50	125	180	225	70	Ø25	475	530	590	200	800	1299	1202
BQP 50-250	160M	A2	V	80	50	125	180	225	70	Ø25	500	565	620	230	850	1310	1327
BQP 50-250	160L, 180M,	A2, A3, A3	VI	80	50	125	180	225	90	Ø25	525	580	635	260	900	1420	1437
BQP 50-250	180L	A4	VII	80	50	125	180	225	90	Ø25	575	630	685	290	960	1540	1522
BQP 50-315	132M, 160M	A1, A2	V	8	5	125	22	28	7	Ø2	50	56	62	23	850	131	132
BQP 50-315	160L, 180M,	A2, A3, A3	VI	0	0	125	5	0	0	5	0	5	0	0	900	0	7
BQP 50-315	180L	A4	VII	8	5	125	22	28	9	Ø2	52	58	63	26	960	142	143
BQP 50-315	200L, 225S	A4	VIII	0	0	125	5	0	0	5	5	0	5	0	1040	0	7
BQP 65-160	100L,	A1	III	100	6	10	16	20	7	Ø2	42	48	54	17	76	110	110
BQP 65-160	112M	A1	IV	100	5	0	0	0	0	0	5	05	0	0	0	0	2
BQP 65-160	132S,	A2	V	100	6	10	16	20	7	Ø2	47	30	59	20	80	120	121
BQP 65-200	112M	A1	III	100	65	10	180	225	70	Ø25	425	480	540	170	760	1100	1102
BQP 65-200	132S,	A1	IV	100	65	0	180	225	70	Ø25	475	530	590	200	800	1299	1217
BQP 65-200	160M, 160L	A2	V	100	65	10	180	225	70	Ø25	500	565	620	230	850	1310	1347
BQP 65-200	180M, 180L	A3	VI	100	65	0	180	225	90	Ø25	525	580	635	260	900	1420	1412
BQP 65-200	200L	A4	VII	100	65	10	180	225	90	Ø25	575	630	685	290	960	1540	1497
BQP 65-26	112M	A1	III	100	65	12	20	25	7	Ø2	42	48	54	17	760	110	112
BQP 65-26	132M	A1	IV	100	65	5	0	0	0	5	5	0	0	0	800	0	7
BQP 65-26	160M	A3	V	100	65	12	20	25	7	Ø2	47	53	59	20	850	129	124
BQP 65-26	200L	A4	VII	100	65	5	0	0	0	5	5	0	0	0	960	9	2
BQP 65-31	112M	A2	IV	100	65	12	225	280	70	Ø25	475	530	590	200	800	1200	115
BQP 65-31	132M	A2	IV	100	65	5	225	280	70	Ø25	475	530	590	200	800	1200	7
BQP 65-31	160M	A2	V	100	65	12	225	280	70	Ø25	500	565	620	230	850	1310	127
BQP 65-31	200L	A4	VII	100	65	5	225	280	90	Ø25	575	630	685	290	960	1540	2
BQP 65-31	280S	A4	IX	100	65	12	225	280	90	Ø25	675	730	785	350	1120	1820	135
BQP 80-160	100L, 112M	A1	III	125	8	12	18	22	7	Ø2	42	48	54	17	760	110	112
BQP 80-160	132S, 132M	A1	IV	125	0	5	0	5	0	5	5	0	0	0	800	0	7
BQP 80-160	160M	A2	V	125	8	12	18	22	7	Ø2	47	53	59	20	850	129	124
BQP 80-160	160L, 160M	A2, A3	VI	125	0	5	0	5	0	5	5	0	0	0	900	9	2
BQP 80-200	132S, 132M	A1	IV	125	8	125	18	25	7	Ø2	47	53	59	20	800	129	124
BQP 80-200	160M,	A2	V	125	0	125	0	0	0	5	5	0	0	0	850	9	2
BQP 80-200	160L, 180M,	A2, A3, A3	VI	125	8	125	18	25	7	Ø2	50	56	62	23	900	131	132
BQP 80-200	180L	A4	VII	125	0	125	0	0	0	5	0	5	0	0	960	0	7
BQP 80-26	112M	A1	III	125	80	12	225	280	70	Ø25	425	480	540	170	760	1100	112
BQP 80-26	132M	A1	IV	125	80	5	225	280	70	Ø25	475	530	590	200	800	1200	7
BQP 80-26	225S	A4	VIII	125	80	12	225	280	90	Ø25	575	630	685	290	960	1540	124
BQP 80-26	280M	A4	IX	125	80	5	225	280	90	Ø25	675	730	785	350	1120	1820	2
BQP 80-26	315M	A4	X	125	80	12	225	280	90	Ø25	775	830	885	380	1220	1980	156
BQP 80-315	160L, 180M,	A2, A3	VI	125	80	12	250	315	90	Ø25	52	580	635	260	900	1420	1427
BQP 80-315	180L, 200L	A3, A4	VII	125	80	5	250	315	90	Ø25	57	630	685	290	960	1540	1552
BQP 80-315	225S, 225M	A4	VIII	125	80	12	250	315	90	Ø25	57	680	735	320	1040	1680	1622
BQP 80-315	250M, 280S, 280M	A4 o A45	IX	125	80	5	250	315	90	Ø25	5	730	785	350	1120	1820	1827
BQP 80-315	315S	A4 o A45	X	125	80	12	250	315	90	Ø25	62	830	885	380	1220	1980	2017
BQP 100-31	160L	A2	VI	125	100	14	25	31	9	Ø2	52	58	63	26	900	142	141
BQP 100-31	180L	A3	VI	125	100	0	0	5	0	5	5	0	5	0	900	0	7
BQP 100-31	280M	A2	IX	125	100	14	25	31	9	Ø2	52	58	63	26	1120	142	148
BQP 100-31	315M	A4	X	125	100	0	0	5	0	5	5	0	5	0	1220	0	2
BQP 100-40	180	A3	VI	12	10	14	28	35	9	Ø2	52	58	63	26	90	142	144
BQP 100-40	L	A4	VII	5	0	0	0	5	0	5	5	0	5	0	0	0	2
BQP 125-	200	A4	VII	15	12	14	28	35	9	Ø2	62	68	73	32	104	168	156
BQP 150-26	160	A2	VI	20	15	16	28	37	9	Ø2	52	58	63	26	90	142	143
BQP 150-26	L	A3	VII	0	0	0	0	5	0	5	5	0	5	0	0	0	7
BQP 150-31	200L	A4	VIII	20	15	16	31	40	9	Ø2	62	68	73	32	1040	168	172
BQP 150-31	225M	A4	IX	0	0	0	5	0	0	5	5	0	5	0	1120	0	7
BQP 150-40	225	A4	IX	20	15	16	31	45	9	Ø2	67	73	78	35	112	182	179
BQP 150-40	M	A4	IX	0	0	0	5	0	0	5	5	0	5	0	0	0	7
BQP 150-40	250	A4	X	20	15	16	31	45	9	Ø2	67	73	78	35	112	182	188
BQP 150-50	280M	A45	X	20	15	18	40	52	9	Ø2	77	83	88	38	1220	198	202
BQP 150-50	315S	A5	XI	0	0	0	0	5	0	5	5	0	5	0	1340	0	2
BQP 200-40	225	A4	IX	25	20	18	35	50	9	Ø2	67	73	78	35	112	182	181
BQP 200-40	M	A4	IX	0	0	0	5	0	0	5	5	0	5	0	0	0	7
BQP 200-40	250	A4	X	25	20	18	35	50	9	Ø2	67	73	78	35	112	182	190