

armarios extintor **POLY'ROTO**

EN POLIETILENO



Ref. POLY'ROTO 2E




Ref. POLY'ROTO 6




Ref. POLY'ROTO 12



Ref. POLY'ROTO 9



armarios extintor



Ref. POLY'ROTO 2E



Ref. POLY'ROTO 6

CARACTERÍSTICAS:

- Polietileno de alta densidad.
- Buena reacción a cambios de temperatura de -40° a +80°.
- Buen comportamiento hacia agentes atmosféricos.
- Ligero y resistente.
- Impermeable y hermético al agua.
- Junta de nylon reforzado.
- Cincha de sujeción interior.

MEDIDAS EXTERIORES

	FONDO/ALTO/ANCHO
• POLY'ROTO 6	240x560x240 mm
• POLY'ROTO 9	260x660x300 mm
• POLY'ROTO 12	250x830x290 mm
• POLY'ROTO 2E	285x725x540 mm



Ref. POLY'ROTO 12



Ref. POLY'ROTO 9

armarios extintor EXT



Ref. EXT6E



Ref. EXTMF6



Ref. EXTPC6



Ref. EXTPM6




Ref. EXT3E




Ref. EXTMF3




Ref. EXTPC3




armarios **extintor**




GUÍA EXT.6-12 kg
REF. EXT6E




MARCO FIJO EXT 6-12 kg
REF. EXTMF6




PUERTA EXT 6-12 kg
REF. EXTPC6




PUERTA CIEGA EXT 6-12 kg
REF. EXTPM6




CO2 GUÍA
REF. EXT3E



CO2 MARCO
REF. EXTMF3



CO2 PUERTA
REF. EXTPC3



MEDIDAS CRISTALES

- EXT6E ——— 640x240 mm
- EXTMF6 ——— 640x240 mm
- EXTPC6 ——— 640x225 mm
- EXT3E ——— 890x270 mm
- EXTMF3 ——— 890x270 mm
- EXTPC3 ——— 890x255 mm